

CESSCO METERED AEROSOL

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Cessco, Inc.
3609-A River Road
Johns Island, SC 29455

COMPANY CONTACT: William L. Ayer
TELEPHONE NUMBER: (800) 476-3666

EMERGENCY TELEPHONE NUMBER

CHEMTREC 1-800-424-9300

PRODUCT NAME: CESSCO METERED AEROSOL
CHEMICAL NAME: Mixture
EPA REGISTRY NUMBER:

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT NAME</u>	<u>EXPOSURE LIMITS</u>	<u>PERCENT BY WEIGHT</u>
Liquefied Petroleum Gas CAS NUMBER: 68476-85-7	N/D	=
Low Odor Petroleum Distillates CAS NUMBER: 64742-88-7	N/D	=

SECTION 3. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY

Skin contact, Inhalation

POTENTIAL HEALTH EFFECTS (ACUTE AND CHRONIC)

EYES

Strong irritation.

SKIN

Mild irritates. Defatting of skin.

INHALATION

Dizziness. Excessive exposure may lead to unconsciousness.

CARCINOGENIC IDENTIFICATION

This material is not listed as a carcinogen by IARC, NTP or OSHA.

OVEREXPOSURE

Excessive exposure may aggravate respiratory, cardiovascular or pulmonary illness.

SECTION 4. FIRST AID MEASURES

EYES

Immediately flush eyes with plenty of water for at least 10 minutes. Get medical attention immediately.

SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

SECTION 4. FIRST AID MEASURES-cont.

INHALATION

Remove affected person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention immediately. If breathing is difficult, give oxygen. Get medical attention immediately.

NOTES TO PHYSICIAN

None

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT: >165F TCC

FLAME EXTENSION: None

EXTINGUISHING MEDIA

CO2

UNUSUAL FIRE AND EXPLOSION HAZARDS:

CAUTION: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120°F MAY CAUSE BURSTING.

SECTION 6. HANDLING AND STORAGE

Steps to be taken in case material is released or spilled: WIPE UP WITH RAG OR SOME ABSORBENT CLAY MATERIAL.

Precautions to be taken in handling and storing: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 120°F MAY CAUSE BURSTING.

SECTION 7. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

	EXPOSURE LIMITS					
	OSHA PEL		ACGIH TLV		Supplier OEL	
	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>	<u>ppm</u>	<u>mg/m3</u>
Liquefied Petroleum Gas	1000		1000			
Low Odor Petroleum Distillates		5		5		

SECTION 7. EXPOSURE CONTROLS/PERSONAL PROTECTION—cont.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE:

Suggested.

SKIN:

Recommended whenever chemicals are used.

RESPIRATORY:

None

VENTILATION:

Local Exhaust. Sufficient.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Clear Spray

ODOR

Characteristic insecticide odor

BASIC PHYSICAL PROPERTIES

PHYSICAL STATE:	Liquefied gases and liquid
SPECIFIC GRAVITY:	(water = 1) .83
SOLUBILITY IN (H2O):	0%
pH:	N/A
VISCOSITY:	N/A
PERCENT VOLATILE:	N/A
VAPOR PRESSURE:	1.0
VAPOR DENSITY:	1
BOILING POINT:	362°F
FREEZING POINT:	N/A
MELTING POINT:	N/A
EVAPORATION RATE:	2

Butyl Acetate = 1

SECTION 10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS: OXIDES OF CARBON

INCOMPATIBILITY: SOME PLASTICS

SECTION 11. DISPOSAL CONSIDERATIONS

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDLEINES. DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The above information pertains to this product as it is currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of this product. This information is provided in good faith, but since conditions of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information.

**Buyer assumes all responsibility for safety and use not in accordance with label directions.

****EMERGENCY TELEPHONE NUMBER FOR TRANSPORTATION SPILLS:
CHEMTREC 1-800-424-9300**

PREPARED BY: Cessco, Inc.

PHONE: 800-476-3666

DATE AND TIME OF PRINTING: July 13, 2009 @ 10:03 A.M.