

## CESSCO METERED AEROSOL

### SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Cessco, Inc.  
3609-A River Road  
Johns Island, SC 29455

COMPANY CONTACT: William L. Ayer  
TELEPHONE NUMBER: (800) 476-3666

#### EMERGENCY TELEPHONE NUMBER

CHEMTREC 1-800-424-9300

PRODUCT NAME: CESSCO METERED AEROSOL  
CHEMICAL NAME: Mixture  
EPA REGISTRY NUMBER:

### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT NAME</u>	<u>EXPOSURE LIMITS</u>	<u>PERCENT BY WEIGHT</u>
Liquefied Petroleum Gas CAS NUMBER: 68476-85-7	N/D	=
Low Odor Petroleum Distillates CAS NUMBER: 64742-88-7	N/D	=

### SECTION 3. HAZARDS IDENTIFICATION

#### PRIMARY ROUTES OF ENTRY

Skin contact, Inhalation

#### POTENTIAL HEALTH EFFECTS (ACUTE AND CHRONIC)

##### EYES

Strong irritation.

##### SKIN

Mild irritates. Defatting of skin.

##### INHALATION

Dizziness. Excessive exposure may lead to unconsciousness.

##### CARCINOGENIC IDENTIFICATION

This material is not listed as a carcinogen by IARC, NTP or OSHA.

##### OVEREXPOSURE

Excessive exposure may aggravate respiratory, cardiovascular or pulmonary illness.

### SECTION 4. FIRST AID MEASURES

##### EYES

Immediately flush eyes with plenty of water for at least 10 minutes. Get medical attention immediately.

##### SKIN

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

**SECTION 4. FIRST AID MEASURES-cont.**

**INHALATION**

Remove affected person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention immediately. If breathing is difficult, give oxygen. Get medical attention immediately.

**NOTES TO PHYSICIAN**

None

**SECTION 5. FIRE FIGHTING MEASURES**

**FLASH POINT:** >165F TCC

**FLAME EXTENSION:** None

**EXTINGUISHING MEDIA**

CO2

**UNUSUAL FIRE AND EXPLOSION HAZARDS:**

CAUTION: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120°F MAY CAUSE BURSTING.

**SECTION 6. HANDLING AND STORAGE**

**Steps to be taken in case material is released or spilled:** WIPE UP WITH RAG OR SOME ABSORBENT CLAY MATERIAL.

**Precautions to be taken in handling and storing:** DO NOT USE OR STORE NEAR HEAT OR OPEN FLAMES. EXPOSURE TO TEMPERATURES ABOVE 120°F MAY CAUSE BURSTING.

**SECTION 7. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**EXPOSURE GUIDELINES**

**OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)**

	OSHA PEL		EXPOSURE LIMITS ACGIH TLV		Supplier OEL	
	ppm	mg/m3	ppm	mg/m3	ppm	mg/m3
Liquefied Petroleum Gas	1000		1000			
Low Odor Petroleum Distillates		5		5		

**SECTION 7. EXPOSURE CONTROLS/PERSONAL PROTECTION—cont.**

**PERSONAL PROTECTIVE EQUIPMENT**

**EYES AND FACE:**

Suggested.

**SKIN:**

Recommended whenever chemicals are used.

**RESPIRATORY:**

None

**VENTILATION:**

Local Exhaust. Sufficient.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE**

Clear Spray

**ODOR**

Characteristic insecticide odor

**BASIC PHYSICAL PROPERTIES**

<b>PHYSICAL STATE:</b>	Liquefied gases and liquid
<b>SPECIFIC GRAVITY:</b>	(water = 1) .83
<b>SOLUBILITY IN (H2O):</b>	0%
<b>pH:</b>	N/A
<b>VISCOSITY:</b>	N/A
<b>PERCENT VOLATILE:</b>	N/A
<b>VAPOR PRESSURE:</b>	1.0
<b>VAPOR DENSITY:</b>	1
<b>BOILING POINT:</b>	362°F
<b>FREEZING POINT:</b>	N/A
<b>MELTING POINT:</b>	N/A
<b>EVAPORATION RATE:</b>	2

Butyl Acetate = 1

**SECTION 10. STABILITY AND REACTIVITY**

**STABLE:** YES

**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR

**HAZARDOUS DECOMPOSITION PRODUCTS:** OXIDES OF CARBON

**INCOMPATIBILITY:** SOME PLASTICS

**SECTION 11. DISPOSAL CONSIDERATIONS**

Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDLEINES. DO NOT PUNCTURE OR INCINERATE CONTAINER. DO NOT REUSE CONTAINER. WRAP CONTAINER AND PLACE IN TRASH COLLECTION.

**DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES**

The above information pertains to this product as it is currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of this product. This information is provided in good faith, but since conditions of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information.

\*\*Buyer assumes all responsibility for safety and use not in accordance with label directions.

**\*\*EMERGENCY TELEPHONE NUMBER FOR TRANSPORTATION SPILLS:  
CHEMTREC 1-800-424-9300**

**PREPARED BY:** Cessco, Inc.

**PHONE:** 800-476-3666

**DATE AND TIME OF PRINTING:** January 1, 2007 @ 10:03 A.M.