

CESSCO TR-5 FOGGER

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Cessco, Inc.
3609-A River Road
Johns Island, SC 29455

COMPANY CONTACT: William L. Ayer
TELEPHONE NUMBER: (800) 476-3666

EMERGENCY TELEPHONE NUMBER

CHEMTREC 1-800-424-9300

PRODUCT NAME: CESSCO TR-5 FOGGER
CHEMICAL NAME: Mixture; Pyrethrin, Piperonyl Butoxide
EPA REGISTRY NUMBER: 1021-1662-6959

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EXPOSURE LIMITS	PERCENT BY WEIGHT
Pyrethrin CAS NUMBER: 008003-34-7	N/D	= 0.5
Piperonyl Butoxide CAS NUMBER: 000051-03-6	N/D	= 1.00
MGK® 264 (N-Octyl Bicycloheptene Dicarboximide) CAS NUMBER: 000113-48-4	N/D	= 1.00
Petroleum Distillate CAS NUMBER: 064742-47-8	N/D	= 5 - 15
Deionized Water CAS NUMBER: 007732-18-5	N/D	=45 - 55
Liquefied Petroleum gas CAS NUMBER: 068476-85-7	N/D	=35

SECTION 3. HAZARDS IDENTIFICATION

*****EMERGENCY OVERVIEW*****

IMMEDIATE CONCERNS:

CAUTION. HIGHLY FLAMMABLE. DO NOT use near heat, open flame. Shut off all ignition sources. Contents Under pressure. Keep Away from heat and open flame. Do not expose to temperatures above 130F. May cause skin, eye and respiratory tract irritation. May be harmful if swallowed or absorbed through skin. ALWAYS Wear Safety Glasses and appropriate personal protective equipment when handling this product.

SECTION 3. HAZARDS IDENTIFICATION—Continued

POTENTIAL HEALTH EFFECTS

EYES

Can cause temporary irritation, tearing and blurred vision.

SKIN

Can cause mild skin irritation. Can cause a burning or prickling sensation or more sensitive areas (face, eyes, mouth). Prolonged or repeated exposure can cause irritation and reddening of the skin, possibly progressing into dermatitis.

INGESTION

Can cause stomach irritation, resulting in nausea, cramps and vomiting. Can cause nervous system disorders, such as fatigue, dizziness, headaches, lack of coordination, tremors and unconsciousness.

INHALATION

Excessive inhalation can cause nasal and respiratory irritation, nausea and nervous system disorders, such as fatigue, dizziness, headaches, lack of coordination, tremors and unconsciousness.

SECTION 4. FIRST AID MEASURES

EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN

Remove contaminated clothing and wash affected areas with large amounts of soap and water. If irritation persists, get medical attention. Wash clothing separately before reuse.

INGESTION

If swallowed, call a physician or poison control center and seek medical attention immediately. DO NOT induce vomiting due to aspiration pneumonia hazard. Never give anything by mouth to an unconscious person.

INHALATION

Remove affected person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention immediately.

NOTES TO PHYSICIAN

None

SECTION 5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD: Not Applicable.

FLAMMABLE CLASS

This Aerosol is classified as HIGHLY FLAMMABLE.

EXTINGUISHING MEDIA

Foam, carbon dioxide or dry chemical.

HAZARDOUS COMBUSTION PRODUCTS

Under fire conditions this product may support combustion and may decompose to give off toxic gases such as carbon monoxide, carbon dioxide and nitrogen oxides

EXPLOSION HAZARDS

Contents under pressure. Exposure to temperatures above 130°F / 54.4°C can cause violent bursting.

FIRE FIGHTING PROCEDURES

Use a full-faced self-contained breathing apparatus along with full protective gear. Keep nearby containers and equipment cool with a water stream.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL:

Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.

LARGE SPILL:

Shut off ignition sources. Stop release, if possible without risk. Dike or contain release, if possible, and if immediate response can prevent further damage or danger. Isolate and control access to the release area. Take actions to reduce vapors. Collect product into drums, etc. via drains, pumps, etc. Absorb with appropriate absorbent. Clean spill area of residues and absorbent.

SECTION 7. HANDLING AND STORAGE

GENERAL PROCEDURES

Do not use near heat, open flame or any ignition source.

HANDLING

Contents under pressure. Do not puncture or incinerate. Do not use near heat or open flame or any ignition sources. Do not remain in the building during treatment and ventilate thoroughly for 30 minutes before reoccupying treated area. Wear impervious gloves as neoprene or nitrile. Wear OSHA-approved safety glasses with side shields, goggles or face shield. Avoid breathing vapor or spray mist. Mechanical ventilation should be used when handling this product in enclosed spaces. Wearing a respirator is not normally required when handling this product, but recommended in the absence of proper mechanical ventilation or if necessary to avoid breathing sprays or mists of this product. Do not contaminate water, feed or food storage, handling or disposal. **READ AND OBSERVE ALL PRECAUTIONS AND INSTRUCTIONS ON THE LABEL.**

STORAGE

Store containers upright and closed. Store in areas that are cool, dry and well-ventilated. Exposure to temperatures at or above 130°F / 54.4°C may cause violent bursting. Keep away from heat, ignition sources and strong oxidizers. Emptied containers may retain product residues. Keep Away from Children.

STORAGE TEMPERATURE: 4.44° (40°F) minimum to 37.8°C (100°F maximum).

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
		ppm	mg/m3	ppm	mg/m3	ppm	mg/m3
Pyrethrins	TWA		5		5		
Piperonyl Butoxide	TWA	None		None		None	
MGK® 264 (N-Octyl Bicycloheptene Dicarboximide)	TWA	None		None		None	
Petroleum Distillate	TWA					100	525
Liquefied Petroleum Gas	TWA	1000	1800	1000	1800		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION—cont.**ENGINEERING CONTROLS**

Mechanical ventilation should be used when handling this product in enclosed spaces. Local exhaust ventilation may be necessary.

PERSONAL PROTECTIVE EQUIPMENT**EYES AND FACE:**

Wear OSHA-approved safety glasses with side shield, goggles or face shield.

SKIN:

Wear chemically impervious gloves such as Neoprene or Nitrile and protective clothing.

RESPIRATORY:

Wear a NIOSH approved organic vapor respirator when exposure limits are being exceeded.

PROTECTIVE CLOTHING:

Wear chemically impervious gloves, such as Neoprene or Nitrile.

WORK HYGENIC PRACTICES

DO NOT SMOKE, EAT OR DRINK OR APPLY COSMETICS IN WORK AREA! Wash promptly if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**APPEARANCE**

Light yellow thick opaque emulsion

ODOR

Odor of petroleum distillates

BASIC PHYSICAL PROPERTIES

PHYSICAL STATE:	Liquefied gases and liquid
SPECIFIC GRAVITY:	0.972 (water = 1) @ 20°C
SOLUBILITY IN (H₂O):	Partially miscible in water
pH:	7.0
VISCOSITY:	3020 CPS @ 23°C
PERCENT VOLATILE:	Less than 41%
VAPOR DENSITY:	Not Available
BOILING POINT:	Not Available
FREEZING POINT:	Not Available
MELTING POINT:	Not Available
EVAPORATION RATE:	Not Available

SECTION 10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

CONDITIONS TO AVOID: Not compatible with strong acids or bases. Not compatible with strong oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

EYE EFFECTS

Produced conjunctival irritation in albino rabbit eyes. No irritation was observed in 5/6 animals by 24 hours and for 6/6 animals by 72 hours. No corneal opacity or iritis was observed during the study.

SKIN EFFECTS

Produced a primary irritation index of .71 in albino rabbits.

SENSITIZATION

Not considered to be a dermal sensitizer to albino guinea pigs.

SUBCHRONIC

Not Available.

COMMENTS

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as being carcinogens.

In a recent study, marginally higher incidences of benign thyroid, parathyroid, ovary and liver tumors were observed in rats and in lungs of mice following lifetime high dose exposures to pyrethrum. Marginally higher incidences of benign liver tumors in mice were observed following lifetime high dose exposures to PBO. The significance of these observations is questionable and under review. The doses at which tumors were observed for pyrethrum and PBO greatly exceeded potential human exposure from labeled uses.

SECTION 12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

This product is extremely toxic to fish and other aquatic invertebrates.

SECTION 13. DISPOSAL CONSIDERATIONS

EMPTY CONTAINERS

Replace cap when empty and offer to recycling program, if available in your area. If recycling is not available, wrap in several layers of newspaper and discard in trash.

RCRA/EPA WASTE INFORMATION

This product contains the following RCRA/CERCLA Hazardous wastes:

<u>Component:</u>	<u>RCRA ID#:</u>	<u>Cercla RQ:</u>
Pyrethrins	N/A	1 Lb.

SECTION 14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Consumer Commodity

PRIMARY HAZARD CLASS/DIVISION: ORM-D

UN/NA NUMBER: N/A

PACKING GROUP: N/A

